

# L POME

Pome Productive steel - Guaranteed!

L POME  
NORDIC DIMENSION



p. 6-7



WORKSHOPYARD  
p. 3

3. L POME PHASE

p. 10-11

# Here's our story



**Today, spring 2005, when we are updating this brochure, comes up nearly 30 years of cooperation with contractors.**

**First we started with buckets.**

**That must be the reason why it's so perfect to every different use or machine.**

**Market's and heavycompetition demands from us every each day better and morecompetitiveness equipments.**

**Our answer is, natural born desire, perfect readiness withhuge professional competence, machinery, renewing work environment and material handling. But first of all,**

**we have ability to develop equipment's together with clients.**

**We have a listening mind, we have visioons and we know what we do! We are not oversied, but all the time in continuous growth.**

**That's why we can fulfil al the ideas and latest wishes from every single contractor.**

**We are braves with huge heart!**

# Sometimes it happens like this:

**Nearly every Pome-blacksmith is  
Hammering around the same workshopyard.**



**ASSEMBLY**




**COMPONENT**



**And New big  
WORKSHOP**

## WORKSHOPYARD



**Red corner on left; there's office,  
sale and buying.**

**POME Tehtaantie 6 POMARKKU**

# These equipments really



**SNOW BUCKET**



**GRAVEL BUCKET**



**SANDSPREADING BUCKET**




**CABEL BUCKET**



**MINI EXCAVATOR BUCKET**



**BACK HOE BUCKET**



**SHAPED FIELD DITCH BUCKET**



**FIELD DITCH BUCKET**



**FINISHING BUCKET**



**FINISHING BUCKET HYDR. TURN**



**THREE WAY BUCKET**



**DIPPER BUCKET**

# works how the user want



**CABEL PLOUGH**



**TILTI 16-21 T**



**LIFTING BOOM**



**QUICK COUPLING HYDR. TURN**



**QUICK COUPLING HYDR. TURN**



**GRABTILT**



**GRAB-JOHN**



**TRUCKFORKS**



**TOPI THE EXCAVATOR**



**CLAM SHELL BUCKET WITH WIRES**



**POLYB CLAM SHELL**



**TRACK CLEANER**

# UPOME

## NORDIC DIMENSION

**UPOME**


Here we work best!

ULTRA NEW  
NIVELAURA

**UPOME**  
NIVELAURA



Wings turn 35°



Portable adjust to support feet



Flexible edges up to 45°

Steering valves with groundploughfunction  
We have also maintenance to the ploughs



# POME

## NORDIC DIMENSION

**POME**  
Master of snow and ice



**POME**  
SANDSPREADING BUCKET

**VIKURI**



**POME** Track cleaner  
**KRAAPPI**



**POME**  
**ZOOM-AURA**  
with extension



**POME**  
**JETI**  
Groundplough  
with extra wings



**POME**  
**POLANNE**  
Groundplough for condensed ice/snow

# More useful



## Technical data V-plough


Model	Work Widht mm	Min Widht mm	Angle	Height of Wings mm	Edges	Weight kg
180 light	1800	1600	35°	750	2	380
Ultra 200 light	2000	1750	35°	750	2	260
200	2000	1750	35°	750	2	465
210 light	2100	1850	35°	750	2	445
220	2200	1900	35°	750	2	500
240	2400	2150	35°	850	2	600
280	2800	2400	35°	850	4	750
320	3200	2750	35°	1000	4	820
360	3600	3000	35°	1000	4	970
400	4000	3300	35°	1000	4	1250



se joka  
aamuvuorista  
jo pajallamme

## Technical data V-plough with extra wings

Model	Work width C mm	Plough Widht mm	Extra Wings x mm	A Min. mm	B Min. mm	Wing height mm	Edges	Weight kg
280/200	2800	2000	2 x 400	2235	2490	750	6	720
320/220	3200	2200	2 x 500	2340	2740	750	6	880
360/240	3600	2400	2 x 600	2590	3200	850	6	1060
400/280	4000	2800	2 x 600	2940	3550	850	6	1400
500/360	5000	3600	2 x 700	3650	4440	1000	6	1590



## SNOW BUCKET



Volume liter	Widht mm	Weight kg
1700	2000	430
1800	2100	450
1900	2200	460
2000	2300	475
2300	2500	530



## SANDSPREADING BUCKET

Volume liter	Work widht	Total widht	Weight kg
650	140	165	520
900	160	185	660
1100	180	205	700
1300	200	225	750
1500	220	245	770
2000	220	245	820

# information

## Technical data ZOOM-groundplough:

MEASURES:	ZOOM 170	ZOOM 210
Max width:	2600	3300
Min width:	1700	2100
Height:	800	910
Valves (standard)	2x6/2 1/2"	2x6/2 1/2"
Extension cylinders	50/30x450	63/40x600
Turning cylinders	70/40x350	70/40x350
Push frame	S-12es	S-14es
Weight	720 kg	980 kg



SANDSPREADING BUCKET

# VISKURI

Total sandspreader!



## JETI-Groundplough with extra wings:

Technical data	JETI 200	JETI 220	JETI 240	JETI 280	JETI 360
Max width mm	2800	3200	3600	4000	5000
Min width mm	2460	2660	2860	3260	4060
Main wing width mm	2000	2200	2400	2800	3600
Extra wing width mm	400	500	600	600	700
Height mm	850	850	850	850	1000
Weight kg	720	850	1060	1400	1590

# 3.PHASE

**3. PHASE is the latest POME LINE. It is combination of wishes from clients and research & development.**

Times and seasons are changing -We have to live continuous development with machines. During the years, we have developed huge amount of extra functions to all kind of machines. We will stay on the road.

Next page we are presenting Our latest clamshell buckets We have already at least 20 years experience of clamshell bucket and Grabs.

## Track cleaner **KRAAPPI**

**To crossroads,  
where rails  
And roads meet:  
Harbours,  
factories...**

Finnish Patent  
Fin 109818  
Swedish Patent  
S 0100955-4



# 3.PHASE



## **TILT 13-18 T**

We are developing new  
6-12 t TILT



**REARLIFTDEVICE TO  
COMBINED MACHINES  
AND WHEEL LOADERS**

10



## **RAIL TRACK EQUIPMENT TO WORK MACHINES**

Field of contraction expanded when we lift machine on rails with track equipments – of course our designed and manufactured.

# 3. PHASE



## MULTIFUNCTIONAL BUCKET

Three different functions:  
As a bucket or sandplate and also when opened.



First we  
manufactured  
this Clamshell  
for loading logs

But Now it is  
Clamshell bucket for  
excavators with  
range 200-1000 mm



## HARBOUR CLAMSHELL BUCKET

Under manufacturing in our New Workshop.  
These grabs are manufactured also with hydraulics  
or operated with wires.

## POLYB CLAMSHELL BUCKET





This one  
was  
ordered  
by mid-  
european  
client.

Manufactured  
with four or five fingers.

You are very warmly welcome to our workshops



WORKSHOPYARD



We have developed technical quality control. Therefore, customers can get even more longlasting, durable and better products. And one great thing more, due the quality control, delivaring times are shortened and are even more specific.



ANTTI SALONEN  
Chairman  
of Board



ILKKA SALONEN  
managing director

With Heart and Soul  
**POME Pomarkun  
Urakoitsijatarvike Oy**

Tehtaantie 6 29630 POMARKKU FINLAND

Puh: +358 (0)2 6342 600 Fax: +358 (0)2 6342 610

Email: [pome@pome.fi](mailto:pome@pome.fi)

[www.pome.fi](http://www.pome.fi)